

# Product Catalog



# Table of Contents

Leversets-Grade 1 .....	2-3
Knobsets-Grade 1 .....	4
Leversets-Grade 2 .....	5-6
Knobsets-Grade 2 .....	7
Deadbolts-Grade 2 .....	8
Knobsets-Grade 3 .....	9
Leversets-Grade 3 .....	10
Handlesets-Grade 3 .....	11
Deadbolts-Grade 3 .....	12
Exit Devices and Trim .....	13-14
Door Closers-Grade 1 .....	15
Door Closers-Grade 2 .....	16
Door Closers-Economy Grade .....	17
Padlocks-Brass Pin Tumbler .....	18
Padlocks-Laminated .....	18
Padlocks-Brass Rekeyable .....	19
Padlocks-Solid Body .....	20
Padlocks-Dial Combination .....	21
Padlocks-Resettable Combination .....	21
Padlocks-Shackleless .....	21
Padlocks-Shielded Disc .....	21
Cylinders-Mortise Dummy .....	22
Cylinders-Mortise Keyed .....	22
Cylinders-Mortise Thumbturn .....	22
Cylinders-Key in Knob .....	23
Cylinders-Key in Lever .....	23
Cylinders-Rim .....	23
Key Blanks-Look Alike .....	24
Key Blanks-Neuter Bow .....	24
Key Blanks-Brass .....	25
Cam Locks-Disc Tumbler .....	26
Cam Locks-Tubular .....	26
Desk Drawer Locks .....	27
Metal Drawer Locks .....	27
Showcase Locks .....	27
Sliding Door Locks .....	27
Safes-Fire Resistant Home .....	28
Safes-Fire Resistant Record .....	28
Safes-Depository .....	29
Safes-Fire Resistant Office .....	29
Product Warranties .....	30
Mounts and Finishes .....	31
Index .....	32

# Extra Heavy Duty Commercial - Grade 1 Leversets

LF SERIES



**Applications** Extra heavy-duty commercial buildings such as schools, hospitals, factories and other public buildings.

**15 Year Mechanical Warranty**  
**1 Year Finish Warranty**

**No lever sag after 1,000,000 cycles**


**SPECIFICATIONS**

**Complies** with ANSI/BHMA A156.2, Series 4000 Grade 1  
**UL Listed** for "A" Label (3 hr) single swing doors (4' X 8')  
**Door Thickness** 1-3/8" to 2" wood or metal door. 2-1/4" is available on request.  
**Door Preparation** ANSI 115.2 through-bolted installation  
**Backset** 2-3/4" Standard - 2-3/8", 3-3/4" & 5" optional  
**Handing** Non-handed  
**Strike** ANSI 4-7/8" X 1-1/4" full lip standard  
**Warranty** 15 year limited mechanical warranty and 1 year finish warranty from date of purchase  
**Trim** Levers are solid die-cast plated to match finish symbol. Roses are extra-heavy duty wrought brass.  
**Construction** Cast and machined stainless steel hubs with heat-treated heavy gauge cold-rolled steel spindles.

**FINISHES**

**US3** Polished Brass  
**US10B** Oil-Rubbed Bronze  
**US26D** Satin Chrome

**LATCHES**



**FEATURES**

- Heavy-duty return springs cycle tested 1,000,000 times with NO lever sag
- Heat-treated heavy-gauge cold rolled steel spindles which withstand 1000 inch pounds of torque
- Levers are designed to comply with barrier free accessibility codes.

**KEYING**

Supplied standard with "SC1" 6 pin cylinder.


Compatible with LSDA C500 replacement cylinders which provide a multitude of keyway choices.

Available in 'small format interchangeable core' version for Arrow, Best, KSP and Falcon compatible cores (6 or 7 pin)

IC Lever  
IC Core (not included)

**COMPATIBLE WITH MOST HIGH SECURITY KEY-IN-LEVER CYLINDERS**


**FUNCTIONS**



**LF2000 Entrance/Office**  
Pushing and turning button locks outside lever requiring use of key until button is manually unlocked. Pushing button locks outside lever until unlocked with key or inside lever is turned.

**LF2100 Passage**  
Both levers always free.

**LF2200 Privacy**  
Pushbutton locking. Can be opened from outside in case of emergency by narrow tool.



**LF2400 Storeroom**  
Outer lever fixed. Entrance by key only. Inner lever always free.

**LF2500 Classroom**  
Outer lever locked or unlocked by key outside. Inner lever always free.

**LF2900 Institutional**  
Both levers fixed. Entrance by key in either side.




# Heavy Duty Commercial - Grade 1 Leversets

LX SERIES

**Applications** Heavy-duty commercial buildings such as schools, hospitals, factories and other public buildings.

**15 Year Mechanical Warranty**  
**1 Year Finish Warranty**



**SPECIFICATIONS**

**Complies** with ANSI/BHMA A156.2, Series 4000 Grade 1  
**UL Listed** for "A" Label (3 hr) single swing doors (4' X 8')  
**Door Thickness** 1-3/8" to 2" wood or metal door.  
**Door Preparation** ANSI 115.2 through-bolted installation  
**Backset** 2-3/4" Standard - 2-3/8" optional  
**Handing** Non-handed  
**Strike** ANSI 4-7/8" X 1-1/4" full lip standard  
**Warranty** 15 year limited mechanical warranty and 1 year finish warranty from date of purchase  
**Trim** Levers comply with Barrier Free Accessibility Codes. Levers are zinc based material plated to match finish symbol. Roses are wrought brass or bronze.  
**Construction** Corrosion treated heavy gauge cases with cold-rolled steel mechanism.

**FEATURES**

- LSDA LX Series heavy-duty lever locks are engineered with a unique patented construction feature (reinforced springs) that eliminates the possibility of lever sag.
- Designed to comply with the handicap code.
- Stud bolts attached on the rose plate and door prevent breakage from heavy torque in locked outside lever.

**FINISHES**

**US3** Polished Brass  
**US10B** Oil-Rubbed Bronze  
**US26D** Satin Chrome

**KEYING**

Supplied standard with "SC1" 6 pin cylinder.

Compatible with LSDA C500 replacement cylinders which provide a multitude of keyway choices.

**COMPATIBLE WITH MOST HIGH SECURITY KEY-IN-LEVER CYLINDERS**

**FUNCTIONS**

	<p><b>LX1000 Entrance/Office</b> Pushing and turning button locks outside lever requiring use of key until button is manually unlocked. Pushing button locks outside lever until unlocked with key or inside lever is turned.</p>		<p><b>LX1400 Storeroom</b> Outer lever fixed. Entrance by key only. Inner lever always free.</p>
	<p><b>LX1100 Passage</b> Both levers always free.</p>		<p><b>LX1500 Classroom</b> Outer lever locked or unlocked by key outside. Inner lever always free.</p>
	<p><b>LX1200 Privacy</b> Pushbutton locking. Can be opened from outside in case of emergency by narrow tool.</p>		<p><b>LX1900 Institutional</b> Both levers fixed. Entrance by key in either side.</p>



# Heavy Duty Commercial - Grade 1 Knobsets

LH SERIES



**Applications** Heavy-duty commercial buildings such as schools, hospitals, factories and other public buildings.

**15 Year Mechanical Warranty**

**1 Year Finish Warranty**

**SPECIFICATIONS**

**Complies** with ANSI/BHMA A156.2, Series 4000 Grade 1  
**UL Listed** for "A" Label (3 hr) single swing doors (4' X 8')  
**Door Thickness** 1-3/8" to 2" wood or metal door.  
**Latchbolt** Solid brass 1/2" throw adjustable front for flat or beveled doors. 2-1/4" X 1-1/8" faceplate.  
**Backset** 2-3/4" Standard - 2-3/8" optional  
**Handing** Non-handed  
**Strike** ANSI 4-7/8" X 1-1/4" full lip standard  
**Warranty** 15 year limited mechanical warranty and 1 year finish warranty from date of purchase  
**Trim** Knobs and roses are stainless steel, brass or bronze.  
**Construction** Corrosion treated, heavy-gauge, cold-rolled steel mechanisms.

**FINISHES**

**US3** Polished Brass  
**US10B** Oil-Rubbed Bronze  
**US32D** Satin Stainless Steel

**FEATURES**

- Available in 2 attractive knob designs and 3 finishes.
- Heavy duty knobs and roses combined with corrosion treated heavy gauge, cold-rolled steel mechanisms offer a solid combination of quality and durability.
- Designed for high frequency traffic.

**KEYING**



Supplied standard with "SC1" 6 pin cylinder.

Compatible with LSDA C500 replacement cylinders which provide a multitude of keyway choices.




**COMPATIBLE WITH MOST HIGH SECURITY KEY-IN-LEVER CYLINDERS**

**FUNCTIONS**



**LH1000 Entrance/Office**  
 Pushing and turning button locks outside lever requiring use of key until button is manually unlocked. Pushing button locks outside knob until unlocked with key or inside knob is turned.



**LH1400 Storeroom**  
 Outer knob fixed. Entrance by key only. Inner knob always free.




**LH1100 Passage**  
 Both knobs always free.



**LH1500 Classroom**  
 Outer knob locked or unlocked by key outside. Inner knob always free.



**LH1200 Privacy**  
 Pushbutton locking. Can be opened from outside in case of emergency by narrow tool.



**LH1900 Institutional**  
 Both knobs fixed. Entrance by key in either side.



**LH1300 Store Door**  
 Key in either knob locks both knobs.



# Medium Duty Commercial - Grade 2 Knobsets

100 SERIES

**Applications** Medium-duty commercial and heavy-duty residential exterior and interior doors for office, medical, public buildings, retail and government buildings.

**15 Year Mechanical Warranty**

**1 Year Finish Warranty**



**SPECIFICATIONS**

**Complies** with ANSI/BHMA A156.2, Series 4000 Grade 2

**Door Thickness** 1-3/8" to 1-3/4" wood or metal door.

**Door Preparation** 2-1/8" diameter bore required

**Backset** 2-3/8" or 2-3/4". 2-3/4" UL latch available. Drive-in latch is also available.

**Latchbolt** Solid brass 1/2" throw, non-handed. 2-1/4" X 1" square corner self-adjusting face plate. Keyed locks are supplied less latch. Please indicate latch required when ordering or specifying.

**Handing** Non-handed

**Strike** ANSI 4-7/8" X 1-1/4" full lip standard

**Warranty** 15 year limited mechanical warranty and 1 year finish warranty from date of purchase

**Trim** Stainless steel, wrought brass or bronze.

**Construction** Cold-rolled steel and zinc dichromate finish for rust and corrosion resistance.

**FEATURES**

- Available in 3 attractive knob designs and 4 finishes.
- No exposed mounting screws.
- Outside knob can be removed for easy cylinder rekeying.
- Solid brass cylinders for smooth operation, durability and compatibility.

**FINISHES**

**US3** Polished Brass

**US5A** Antique Brass

**US10B** Oil-Rubbed Bronze

**US32D** Satin Stainless Steel

**KEYING**

Locks are supplied less cylinder. Optional "SC1" or "AR1" drilled 6 - keyed 5 pin cylinders.

Compatible with LSDA C500 replacement cylinders which provide a multitude of keyway choices.

**COMPATIBLE WITH MOST HIGH SECURITY KEY-IN-KNOB CYLINDERS**

**FUNCTIONS**



**100 Entrance/Office**  
Turn/Push button locking. Pushing or turning button locks outside knob requiring use of key.



**140 Storeroom**  
Outer knob fixed. Entrance by key only. Inner knob always free.



**110 Passage**  
Both knobs always free.



**150 Classroom**  
Outer knob locked or unlocked by key outside. Inner knob always free.




**120 Privacy**  
Pushbutton locking. Can be opened from outside in case of emergency by narrow tool.



# Medium Duty Commercial - Grade 2 Leversets

LC SERIES



w/ clutch mechanism

**Applications** Medium-duty commercial and heavy-duty residential exterior and interior doors for office, medical, public buildings, retail and government buildings.

**15 Year Mechanical Warranty**

**1 Year Finish Warranty**

**SPECIFICATIONS**

**Complies** with ANSI/BHMA A156.2, Series 4000 Grade 2

**Door Thickness** 1-3/8" to 1-7/8" wood or metal door.

**Door Preparation** 2-1/8" diameter bore required

**Backset** 2-3/8" or 2-3/4". 2-3/4" UL latch available. Drive-in latch is also available.

**Latchbolt** Solid brass 1/2" throw, non-handed. 2-1/4" X 1" square corner self-adjusting face plate. Keyed locks are supplied less latch. Please indicate latch required when ordering or specifying.

**Handing** Non-handed

**Strike** ANSI 4-7/8" X 1-1/4" full lip standard

**Warranty** 15 year limited mechanical warranty and 1 year finish warranty from date of purchase

**Trim** Stainless steel, wrought brass or bronze.

**Construction** Cold-rolled steel and zinc dichromate finish for rust and corrosion resistance.

**FINISHES**

**US3** Polished Brass

**US10B** Oil-Rubbed Bronze

**US26D** Satin Chrome

**FEATURES**

- Clutch mechanism or "free-wheeling" design offers an advantage over rigid locked leversets by reducing the torque applied to the outside lever.
- Optional thru-bolt posts are provided.
- Designed to comply with Barrier Free Accessibility Codes.
- Independent spring mechanisms for outside and inside levers prevent lever sag.

**KEYING**




Locks are supplied less cylinder. Optional "SC1" or "AR1" drilled 6-keyed 5 pin cylinders.

Compatible with LSDA C500 replacement cylinders which provide a multitude of keyway choices.




**COMPATIBLE WITH MOST HIGH SECURITY KEY-IN-LEVER CYLINDERS**

**FUNCTIONS**



**LC100 Entrance/Office**

Pushing and turning button locks outside lever requiring use of key until button is manually unlocked. Pushing button locks outside lever until unlocked with key or inside lever is turned.



**LC140 Storeroom**

Outer lever fixed. Entrance by key only. Inner lever always free.



**LC150 Classroom**

Outer lever locked or unlocked by key outside. Inner lever always free.




# Medium Duty Commercial - Grade 2 Leversets

L SERIES

**Applications** Medium-duty commercial and heavy-duty residential exterior and interior doors for office, medical, public buildings, retail and government buildings.

**15 Year Mechanical Warranty**

**1 Year Finish Warranty**



without clutch mechanism

SPECIFICATIONS

**Complies** with ANSI/BHMA A156.2, Series 4000 Grade 2

**Door Thickness** 1-3/8" to 1-7/8" wood or metal door.

**Door Preparation** 2-1/8" diameter bore required

**Backset** 2-3/8" or 2-3/4". 2-3/4" UL latch available. Drive-in latch is also available.

**Latchbolt** Solid brass 1/2" throw, non-handed. 2-1/4" X 1" square corner self-adjusting face plate. Keyed locks are supplied less latch. Please indicate latch required when ordering or specifying.

**Handing** Non-handed

**Strike** ANSI 4-7/8" X 1-1/4" full lip standard

**Warranty** 15 year limited mechanical warranty and 1 year finish warranty from date of purchase

**Trim** Stainless steel, wrought brass or bronze.

**Construction** Cold-rolled steel and zinc dichromate finish for rust and corrosion resistance.

FINISHES

**US3** Polished Brass

**US10B** Oil-Rubbed Bronze

**US26** Polished Chrome

**US26D** Satin Chrome

FEATURES

- Outside lever can be removed for easy cylinder rekeying.
- Optional thru-bolt posts are included.
- Designed to comply with Barrier Free Accessibility Codes.
- Independent spring mechanisms for outside and inside levers prevent lever sag.

KEYING



Locks are supplied less cylinder. Optional "SC1" or "AR1" drilled 6 - keyed 5 pin cylinders.

Compatible with LSDA C500 replacement cylinders which provide a multitude of keyway choices.




Available in 'small format interchangeable core' version for Arrow, Best, KSP and Falcon compatible cores (6 or 7 pin)




**COMPATIBLE WITH MOST HIGH SECURITY KEY-IN-LEVER CYLINDERS**


FUNCTIONS




**L100 Entrance/Office**  
Pushing and turning button locks outside lever requiring use of key until button is manually unlocked. Pushing button locks outside lever until unlocked with key or inside lever is turned.



**L110 Passage**  
Both levers always free.



**L120 Privacy**  
Pushbutton locking. Can be opened from outside in case of emergency by narrow tool.



**L140 Storeroom**  
Outer lever fixed. Entrance by key only. Inner lever always free.

**L150 Classroom**  
Outer lever locked or unlocked by key outside. Inner lever always free.



# Medium Duty Commercial - Grade 2 Deadbolts

220 SERIES



**Applications** Medium-duty commercial and heavy-duty residential exterior and interior doors which require a positive deterrent to forced entry.

**15 Year Mechanical Warranty**

**1 Year Finish Warranty**

**SPECIFICATIONS**

- Bolts** are 1" throw with hardened steel rod to resist sawing. All bolts are U.L. Listed. Adjustable for either 2-3/8" or 2-3/4" backset. Also available as "drive-in" type bolts.
- Door Thickness** 1-3/8" to 1-3/4" wood or metal door.
- Door Preparation** Standard 2-1/8" cross bore with 1" latch bore.
- Backset** Supplied with adjustable backset bolt for either 2-3/8" or 2-3/4" backset dimensions. Backset must be specified when ordering optional "drive-in" type bolts.
- Handing** Non-handed
- Strike** Security type with 3" long screws
- Warranty** 15 year limited mechanical warranty and 1 year finish warranty from date of purchase
- Construction** All metal construction with all exposed components being either brass or stainless steel.

**FINISHES**

- US3** Polished Brass
- US5** Antique Brass
- US32D** Satin Stainless Steel

**FEATURES**

- Massive 1" throw bolt with hardened steel rod to resist sawing.
- Mounted with rugged shroud to withstand rigorous tool attacks. Rotating collar w/ insert resists wrenching.
- Security strike with 3" long screws to protect door frame from forced entry.

**KEYING**



Supplied with standard "SC1" drilled 6 pin - keyed 5 cylinder.

Compatible with LSDA C500 replacement cylinders which provide a multitude of keyway choices.



**COMPATIBLE WITH MOST HIGH SECURITY DEADBOLT CYLINDERS**

**BOLT & STRIKE**



Hardened Steel Pin

U.L. Rated

Adjustable backset 2-3/8" or 2-3/4"

Provided with security strike w/ additional 3" long screws to help prevent forced entry attacks.



# Standard Duty Residential - Grade 3 Locksets

10 SERIES

**Applications** Standard duty residential exterior and interior doors.

**15 Year Mechanical Warranty**

**1 Year Finish Warranty**



**Millennium Brass**  
**LIFETIME Finish Warranty**  
**15 Year Mechanical Warranty**

(available on Ball design in Entry and Passage functions)



“Ball” Design



“Standard” Design

<b>FEATURES</b>	<ul style="list-style-type: none"> <li>Built on cylindrical lock chassis using high quality brass and steel.</li> <li>5 pin solid brass cylinder</li> <li>Adjustable 2-3/8" - 2-3/4" universal latch. Drive-in latches are available.</li> <li>Full 1/2" projecting deadlatch</li> <li>Adjustable 1-3/8" - 1-3/4" door thickness.</li> </ul>	<b>FINISHES &amp; KEYWAYS</b>	<b>Finishes</b> US3 Polished Brass, US5 Antique Brass US32D Satin Stainless MB3 Millennium Brass	<b>FUNCTIONS</b>	<b>Functions</b> 10 Entry Function 11 Passage 12 Privacy 14 Storeroom
	<b>Keyways</b> KW1 WR5 SC1		“Ball” Design is also available as a combo set with single or double cylinder deadbolt order as LS30 for single or LS35 for double cylinder.		



**Applications** Standard duty residential exterior and interior doors.

**15 Year Mechanical Warranty**

**1 Year Finish Warranty**

00 SERIES



“G” Design



“B” Design

<b>FEATURES</b>	<ul style="list-style-type: none"> <li>All knobs and roses are finest quality stainless steel or brass</li> <li>Tubular lock chassis with solid steel interior mechanism</li> <li>5 pin solid brass cylinder</li> <li>4-Way adjustable bolt 2-3/8" to 2-3/4" backset. Can be converted to “drive-in” bolt by removing the bolt faceplate.</li> <li>One piece latch housing with 1/2" latch bolt</li> <li>Adjustable 1-3/8" - 1-3/4" door thickness.</li> </ul>	<b>FINISHES &amp; KEYWAYS</b>	<b>Finishes</b> US3 Polished Brass, US5 Antique Brass US32D Satin Stainless	<b>FUNCTIONS</b>	<b>Functions</b> 00 Entry Function 01 Passage 02 Privacy
	<b>Keyways</b> KW1 WR5 SC1				



# Standard Duty Residential - Grade 3 Leversets

50 SERIES



"CO" Design



"LH" Design



"LV" Design



"SY" Design

## Applications

Standard duty residential exterior and interior doors. Leversets offer the advantage of ease of operation for children or the handicapped.

**15 Year Mechanical Warranty**  
**1 Year Finish Warranty**

**Millennium Brass**  
**LIFETIME Finish Warranty**  
**15 Year Mechanical Warranty**



<b>FEATURES</b>	<ul style="list-style-type: none"> <li>All metal construction</li> <li>5 pin solid brass cylinder with nickel plated brass keys.</li> <li>Cylinder removable for rekeying</li> <li>Adjustable 2-3/8" - 2-3/4" universal latch.</li> <li>Full 1/2" projecting deadlatch</li> <li>Adjustable 1-3/8" - 1-3/4" door thickness.</li> </ul>	<b>FINISHES</b>	<b>Finishes (see chart below )</b> US3 Polished Brass US5 Antique Brass US15 Satin Nickel US15A Antique Nickel US26 Polished Chrome MB3 Millennium Brass	<b>FUNCTIONS</b>	<b>Functions</b> 50 Entry Function 51 Passage 52 Privacy
-----------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------	-------------------------------------------------------------------

Lever Design & Keyway	Functions			Finishes					
	Entry	Passage	Privacy	Polished Brass	Antique Brass	Satin Nickel	Antique Nickel	Polished Chrome	Millennium Brass
	50	51	52	US3	US5	US15	US15A	US26	MB3
CO-KW1	•	•	•	•	•				
LH-KW1	•	•	•	•	•	•			•
LH-SC1	•	•	•		•	•			•
LH-WR5	•	•	•						•
LV-KW1	•	•	•	•	•	•			•
LV-SC1	•	•	•		•	•			•
SY-KW1	•	•	•	•	•	•	•	•	

Locks are available in box pack or vis-pack!



# Standard Duty Residential - Grade 3 Handlesets


## Applications

Standard duty residential handlesets for exterior doors. Handlesets offer the convenience of a passage latch with the security of a deadbolt while providing an elegant design.

**15 Year Mechanical Warranty**  
**1 Year Finish Warranty**



**Millennium Brass**  
**LIFETIME Finish Warranty**  
**15 Year Mechanical Warranty**



**40 SERIES**

<b>FEATURES</b>	<ul style="list-style-type: none"> <li>Solid brass one piece cylinder housing</li> <li>1" throw deadbolt reinforced with hardened anti-saw rod</li> <li>Revolving cylinder collar</li> <li>Key locking outside, turnbutton locking inside.</li> <li>Adjustable backset 2-3/8" - 2-3/4"</li> <li>Adjustable 1-3/8" - 1-3/4" door thickness.</li> </ul>	<b>FINISHES</b>	<b>Finishes (see chart below )</b>	<b>FUNCTIONS</b>	<b>Function</b>
	<ul style="list-style-type: none"> <li>US3 Polished Brass</li> <li>US5 Antique Brass</li> <li>US15 Satin Nickel</li> <li>US15A Antique Nickel</li> <li>US26 Polished Chrome</li> <li>MB3 Millennium Brass</li> </ul>		<p>Pressing thumbpiece or rotating inside knob retracts latchbolt. Key outside or turn button inside extends or retracts deadbolt.</p> <p>Latchbolt and deadbolt are not interconnected and operate independently of each other.</p>		

Handleset Design & Keyway	Finishes					
	US3	US5	US15	US15A	US26	MB3
EA-KW1	•	•	•	•	•	•
EA-SC1						•
EA-WR5				•		•
FR-KW1		•				
GR-KW1		•				



# Standard Duty Residential - Grade 3 Deadbolts


**20 SERIES**



20 Single Cylinder



25 Double Cylinder



22 Spin-to-Lock



26 One-Way Bolt

## Applications

Standard duty residential exterior and interior doors which require a positive deterrent to forced entry.

**15 Year Mechanical Warranty  
1 Year Finish Warranty**

**Millennium Brass  
LIFETIME Finish Warranty  
15 Year Mechanical Warranty**



- FEATURES**
- Full 1" throw deadbolt with hardened steel rod insert
  - 5 pin tumbler solid brass cylinder
  - Revolving cylinder collar resists any attempt at twist-off
  - Solid brass one piece cylinder housing.
  - 4-Way adjustable bolt 2-3/8" -2-3/4" back-set. Can be converted to "drive-in" bolt by removing the bolt faceplate.
  - Adjustable 1-3/8" - 1-3/4" door thickness.



**FINISHES**

**Finishes (see chart below )**

US3	Polished Brass
US5	Antique Brass
US15	Satin Nickel
US15A	Antique Nickel
US32	Polished Stainless Steel
US32D	Satin Stainless Steel
MB3	Millennium Brass

**FUNCTIONS**

**Function**

20	Locking or unlocking by key outside or by thumb turn inside.
25	Locking or unlocking by key outside or by key inside.
22	Outside locking by key or by spinning the outside cylinder collar. Outside unlocking by key. Inside unlocking by thumbturn. Inside Key Blocker button prevents access by key from outside when button is engaged.
26	Lock or unlocking by thumbturn inside.

Functions & Keyways	Finishes						
	Polished Brass	Antique Brass	Satin Nickel	Antique Nickel	Polished Stainless Steel	Satin Stainless Steel	Millennium Brass
	US3	US5	US15	US15A	US32	US32D	MB3
20 & 25 - KW1	•	•	•	•	•	•	•
20 & 25 - SC1	•	•				•	•
20 & 25 - WR5	•	•		•		•	•
22 - KW1 & WR5	•						
26	•	•				•	



# Rim & Vertical Rod - Exit Devices and Trim


## Applications

Commercial interior and exterior doors where panic exit devices are required by code or local jurisdiction.

**3 Year Mechanical Warranty**  
**1 Year Finish Warranty**



PD911R Rim Exit Device



**PD911 SERIES**

- FEATURES**
- Rim devices are non-handed. Vertical rod devices are field reversible.
  - Devices have all functions built in. Order trim with the device or add it later.
  - Basic device covers stock hollow metal door cutout. Control trim requires cover plate.
  - For 1-3/4" thick doors.
  - Can be used for narrow stile aluminum doors. 48" device must be used for 3'-0" narrow stile aluminum door applications.
  - Sized for 36" doors. Can be used on door widths from 2'-5" to 3'-0". Cut to size in field.
  - Certified ANSI A156.3-1984 Grade 1 standards.
  - Made in USA.

**FINISHES**

AL & MAL	Painted Aluminum
BR & M13	Dark Bronze Duranodic

- FUNCTIONS**
- BE1901** Blank escutcheon. Exit only.
  - C1902** Cylinder retracts latchbolt.
  - DT1903** Dummy trim. Entrance by trim when actuating bar is locked down from inside.
  - 1904** Pull only
  - NLP1905** Cylinder retracts latchbolt. Entrance by pull when latchbolt is retracted.
  - T1906** Key locks or unlocks trim. Thumbpiece retracts latchbolt when trim is unlocked.
  - K1907MAL** Key locks or unlocks outside knob. Knob retracts bolt when trim is unlocked.
  - P1909** Key retracts latchbolt.
  - L1910** Key locks or unlocks outside lever. Lever retracts bolt when trim is unlocked.
  - KIK / KIL** Key locks or unlocks outside knob or lever. Knob or lever retracts latchbolt when trim is unlocked.

**TRIM DESIGNS**

BE1901MAL BE1901M13	C1902MAL C1902M13	DT1903MAL DT1903M13	1904MAL 1904M13	NLP1905MAL NLP1905M13	
T1906MAL T1906M13	K1907MAL K1907M13	P1909MAL P1909M13	L1910MAL L1910M13	KIK26D (dull chrome finish)	KIL26D (dull chrome finish)



# Surface Rim & Vertical Rod - Exit Devices

PD920 SERIES



## Applications

Commercial interior and exterior doors where panic exit devices are required by code or local jurisdiction.

**10 Year Mechanical Warranty**

### FEATURES

- Rim devices are non-handed. Vertical rod devices are field reversible.
- Devices have all functions built in. Order trim with the device or add it later.
- For 1-3/4" thick doors in the following models:

Mfg. No.	Type	Door Width
PD921R	Rim	36"
PD922R	Rim	42"
PD921V	Vertical Rod	36"
PD922V	Vertical Rod	42"

### FINISHES

AL	Painted Aluminum
DU	Dark Bronze Duranodic

### FUNCTIONS

- LE9240** Key retracts latchbolt. Outside entry by lever pull. Provided with SC1 keyway cylinder.
- LE9250** Key locks or unlocks outside lever. Provided with SC1 keyway cylinder.
- LR9240** Key retracts latchbolt. Outside entry by lever pull. Provided with SC1 keyway cylinder
- LR9250** Key locks or unlocks outside lever. Provided with SC1 keyway cylinder.
- KR9240** Key retracts latchbolt. Outside entry by knob pull. Provided with SC1 keyway cylinder.
- KR9250** Key locks or unlocks outside knob. Provided with SC1 keyway cylinder.
- W92** Key retracts latchbolt. Outside entry by wing pull. Provided with SC1 keyway cylinder.
- W92 DT** Pull only when exit device is dogged from inside. No exterior unlocking.

### TRIM DESIGNS



LE9240  
LE9250



LR9240  
LR9250



KR9240  
KR9250



W92



W92DT



# Surface Applied Non Sized - Grade 1 Door Closers

## Applications

Specifically design for high traffic situations.

Can be installed on aluminum storefront doors, interior wood doors and metal doors.

Perfect for offices, apartments, restaurants, shopping centers and other commercial applications.

**15 Year Replacement Warranty**



**DC6120 SERIES**

**FEATURES**

### Features & Application

- Adjustable power door closers with adjustable backcheck
- Adjustable Closing & Latch Speeds
- ADA compliant
- Non-handed Installation
- Tri-pack mounting. Regular arm, parallel arm or top jamb mounting.
- Available with optional full cover - part # DCCO K06AL or DCCO K06DU.

### Certificates & Approvals

- UL Listed No: R10469 & conformed UL10C
- 15 Year Replacement Warranty
- ANSI Grade 1 Compliant

**TECHNICAL**

### Construction & Technical Details

- Constructed with precision aluminum die-cast body & steel arm.
- Installed precision needle bearings for high efficiency, smooth operation and durability.
- Built-in pressure relief valve protects the closer against rough use.
- Heat-treated steel rack & pinion immersed in high grade oil to give a smooth and precise action with minimum wear.

**FINISHES**


- AL - Sprayed Aluminum Finish
- DU - Sprayed Duranodic Finish

## Available Sizes and Finishes

Mfg. No.	Size	Finish	Maximum Door Width	Maximum Door Weight	Maximum Opening Angle
DC6124BC AL	*Adj 1-4	AL	42"	187 lbs	180°
DC6124BC DU	*Adj 1-4	DU	42"	187 lbs	180°

\* Standard installation sizes. Can be adjusted to size 5 with alternate mounting of door closer on door.

**DIMENSIONS**



A	B	C	D
9-5/8"	1-3/4"	9"	3/4"



# Surface Applied Sized - Grade 2 Door Closers

DC80 SERIES



## Applications

Specifically design for medium traffic situations.

Can be installed on interior wood doors and interior metal doors. Perfect for light commercial and residential applications such as office, apartment and hotel doors.

**5 Year Replacement Warranty**

**FEATURES**

### Features & Application

- Adjustable Closing & Latch Speeds
- Non-handed Installation
- Supplied with parallel arm mounting bracket.
- Maximum opening angle of 180°.

### Certificates & Approvals

- UL Listed No: R10469 & conformed UL10C
- 5 Year Replacement Warranty
- ANSI Grade 2 Compliant

**TECHNICAL**

### Construction & Technical Details

- Constructed with precision aluminum die-cast body & steel arm.
- Heat treated rack & pinion immersed in high grade oil operate a nest of coils to give a smooth precise action & minimum wear.
- Oil-tempered alloy steel springs.
- Totally reversible without adjustment.


**FINISHES**

- AL - Sprayed Aluminum Finish
- DU - Sprayed Duranodic Finish

## Available Sizes and Finishes

Mfg. No.	Size	Finish	Maximum Door Width	Maximum Door Weight	Maximum Opening Angle
DC84 AL	4	AL	41.3"	187 lbs	180°
DC84 DU	4	DU	41.3"	187 lbs	180°

**DIMENSIONS**



A	B	C	D
9-7/8"	1-7/8"	9"	3/4"



# Surface Applied Multisized - Economy Door Closers

## Applications

Specifically design for light to medium traffic situations. Can be installed on interior wood doors and interior metal doors. Perfect for low traffic light commercial and residential applications such as office, apartment and hotel doors

**5 Year Replacement Warranty**



**DC724 SERIES**

**FEATURES**

### Features & Application

- Fixed closing force with selectable sizes 2 through 4. The closing force setting is altered by changing the position of the closer on the door.
- Adjustable Closing & Latch Speeds
- Non-handed Installation
- Supplied with parallel arm mounting bracket.
- Maximum opening angle of 180°.

### Certificates & Approvals

- UL Listed No: R10469 & conformed UL10C
- 5 Year Replacement Warranty
- Passed 500,000 cycles in independent testing

**TECHNICAL**

### Construction & Technical Details

- Constructed with precision aluminum die-cast body & steel arm.
- Heat treated rack & pinion immersed in high grade oil operate a nest of coils to give a smooth precise action & minimum wear.
- Oil-tempered alloy steel springs.
- Totally reversible without adjustment.


**FINISHES**

- AL - Sprayed Aluminum Finish
- DU - Sprayed Duranodic Finish

## Available Sizes and Finishes

Mfg. No.	Size	Finish	Installed as Size	Maximum Door Width	Maximum Door Weight	Maximum Opening Angle
DC724 AL	2 through 4	AL	2	33"	88 lbs	180°
			3	37"	132 lbs	180°
			4	43"	176 lbs	180°
DC724 DU	2 through 4	DU	2	33"	88 lbs	180°
			3	37"	132 lbs	180°
			4	43"	176 lbs	180°

**DIMENSIONS**



A	B	C	D
7"	1-3/4"	6-1/2"	3/4"



# Solid Brass and Laminated Steel Padlocks

## BP SERIES



### PIN TUMBLER BRASS PADLOCKS

- Solid brass body, highly corrosion resistant
- Pin tumbler cylinder with solid brass keyway
- 2 nickel plated brass keys
- Chrome plated hardened steel shackle
- Double locking shackle
- Choice of different keying options including keyed different, keyed alike and masterkeyed. Keyed alike and masterkeyed locks are individually boxed. Keyed different locks are carded in attractive retail packaging.

Mfg. No.	Case Width	Shackle Diameter	Shackle Clearance	Keyblank
BP200	3/4"	1/8"	15/32"	LSDA30
BP300	1-3/16"	3/16"	5/8"	LSDA31
BP320	1-3/16"	3/16"	2-1/2"	LSDA31
BP400	1-9/16"	1/4"	7/8"	LSDA32
BP420	1-9/16"	1/4"	2-1/2"	LSDA32
BP450	1-13/16"	3/8"	1-3/16"	LSDA33
BP470	1-13/16"	3/8"	2-1/2"	LSDA33
BP500	2"	5/16"	1-1/8"	LSDA34
BP520	2"	5/16"	1-1/8"	LSDA34

## LP SERIES



### PIN TUMBLER LAMINATED PADLOCKS

- Each lamination is riveted solid and is individually rust proofed for longer life
- Zinc plated galvanized laminates
- Resilient bumpers keep padlocks from marring or scratching
- Chrome plated hardened steel shackle
- Double steel ball locking security
- Pin tumbler solid brass cylinders
- 2 nickel plated brass keys

Mfg. No.	Case Width	Shackle Diameter	Shackle Clearance	Keyblank
LP30	1-3/16"	3/16"	11/16"	LSDA3
LP40	1-9/16"	1/4"	13/16"	LSDA4
LP50	1-13/16"	3/8"	13/16"	LSDA4
LP60	2"	3/8"	1-1/8"	LSDA4

Available  
"keyed-alike" and "keyed-different"!



# Commercial Rekeyable -Solid Brass Padlocks

## REKEYABLE BRASS PADLOCKS

Easy cylinder removal, with a screw driver or similar tool. Depress a single loaded pin. The cylinder may then be removed for replacement or rekeying. Non-key retaining padlocks have a phillips head screw in place of the pin.

- 1-3/4" solid brass body
- High precision 6 pin brass cylinder
- Hardened steel double locking shackle
- Shackle diameter: 5/16"
- 1" steel shackle standard, 7/8" clearance
- Key retaining and non-key retaining cylinders are not interchangeable
- Stocked 0-bitted



RK134 SERIES

KEY RETAINING	Mfg. No.	Keyway
	RK134 100	Yale 8
	RK134 200	Kwikset
	RK134 300	Schlage C
	RK134 400	Corbin 60, 59A1, A2, B1, B2
	RK134 700	Sargent LA-LC
	RK134 800	Wsr-Falcon
	RK134 900	Arrow
	RK134 1000	Russwin D1, D2, D3, D4
	RK134 3000	Schlage C-K

NON KEY RETAINING	Mfg. No.	Keyway
	RK134 1 100	Yale 8
	RK134 1 200	Kwikset
	RK134 1 300	Schlage C
	RK134 1 400	Corbin 60, 59A1, A2, B1, B2
	RK134 1 700	Sargent LA-LC
	RK134 1 800	Wsr-Falcon
	RK134 1 900	Arrow
	RK134 1 1000	Russwin D1, D2, D3, D4
	RK134 1 3000	Schlage C-K

Optional 2", 3" and 4" shackles are available!

## REKEYABLE BRASS COMMERCIAL PADLOCKS

One key does it all..HOME, OFFICE, GATES and MORE!!

- 1-3/4" solid brass corrosion resistant body.
- Case hardened chrome plated double ball locking shackle.
- Patent pending quick-change shackle feature.
- 1-3/16" standard shackle length with options for 2" or 3" lengths.
- Standard non-key retaining cylinders may be easily converted to key-retaining function by adding pin #LS9008

Mfg. No	Description
RK450	Brass padlock without cylinder

Cylinders	
RKC100	Cylinder- Yale 8
RKC200	Cylinder-Kwikset (KW1)
RKC300	Cylinder-Schlage C
RKC400	Cylinder-Corbin: 60, 59A1, A2, B1, B2
RKC700	Cylinder-Sargent- LA-LC
RKC800	Cylinder-Weiser (WR5)
RKC900	Cylinder-Arrow
RKC1000	Cylinder-Russwin (D1, D2, D3, D4)
RKC3000	Cylinder-Schlage (C-K)

Parts	
9002	2" Shackle
9003	3" Shackle
9006	RC450 Adapter accepts LSDA C500, Schlage 21-002, Assa 65611, Kaba 3400 X 1099 cylinders.
9007	Driver for use with above adapter.
9008	Pin for key-retaining function.



RK450 SERIES



# Weather Resistant & Solid Body Padlocks

WP SERIES



WP40  
1-1/4" Shackle Length

WP42  
2" Shackle Length

**Laminated steel body padlock w/ anti-rust & corrosion resistant plating.**

Features:

- Shackle O Ring seals out moisture and dirt.
- Case hardened chrome plated steel double-locking shackle.
- Pin tumbler solid brass cylinder.
- Thermoplastic weatherproof jacket.
- Perfect for harsh weather conditions.
- Available "keyed-alike" or "keyed-different".

CR SERIES  
SR SERIES



CR600



SR500

AR SERIES  
BR SERIES



AR400



BR400

**Solid body padlocks provide maximum protection against physical attacks and are available in aluminum, brass and steel.**

Features:

- Interchangeable and rekeyable cylinders.
- One key can work the entire series of heavy duty padlocks.
- Standard non-key retaining cylinders may be easily converted to key-retaining function by adding pin #9008
- Quick-change shackles give you the versatility to easily change shackle lengths.
- Double ball locking hardened steel shackles offer superior resistance.
- 1" shackle clearance.
- Solid brass cylinders for superior resistance to corrosion.

**Padlocks are sold less cylinder. Please be sure to add the cylinder of your choice.**

Mfg. No.	Case Material	Case Width	Shackle Clearance
AR400	Aluminum	1-1/2"	1"
BR400	Brass	1-1/2"	1"
BR450	Brass	1-3/4"	1"
SR400	Steel	1-1/2"	1"
SR450	Steel	1-3/4"	1"
SR500	Steel	2"	1"
CR600	Steel	2-1/4"	1"
CR620	Steel	2-1/4"	2-3/16"

**Cylinders for above padlocks**

RC10KA24536	Cylinder: 5-pinned / drilled 6
RC10KA35624	Cylinder: 5-pinned / drilled 6
RC10KA52314	Cylinder: 5-pinned / drilled 6
RC10KD	Cylinder: 5-pinned / drilled 6

**Shackles for AR400& BR400 Series**

9000	1-1/2" shackle
9001	3" shackle

**Shackles for SR500 Series**

9004	2" shackle
9005	3" shackle



# Specialty & Combination - Padlocks

## Shackleless High Security Padlocks

### Features:

- 2-7/8" diameter solid chrome plated steel body.
- Pin tumbler solid brass cylinder.
- Removable cylinder for easy rekeying.
- Shackleless rear locking bolt for maximum security.
- Available "keyed-alike" or "keyed-different".
- Uses Hasp No. 2037

*Concealed shackle eliminates exposure to attacks from cutters, pry bars and saws.*



2035



2037

*Shielded shackle practically eliminates shackle exposure to attack*



2012

## Shielded Disc Padlocks

### Features:

- 2-3/4" corrosion resistant stainless steel case.
- Hardened steel deadbolt - double locking shackle.
- Solid brass anti-pick pin tumbler brass cylinder.
- Use on vending machines, lockers, bicycles and more.

## Dial Combination Padlocks

### Features:

- 1-7/8" stainless steel case
- Resists corrosion
- Hardened chrome plated steel shackle for greater strength
- Over 1,500 combinations

*Keyless convenience-ideal for school, fitness club & employee lockers*



2021

*Set your own combination plus change your combination at any time.*



CP50

## Brass Resettable Combination Padlocks

### Features:

- 4-number combination for security
- Easy to set or reset any combination
- Solid brass construction/weatherproof
- Available in standard 1" short shackle (model CP50B) or 2-1/4" long shackle (model CP52B)



# Mortise • Thumbturn • Dummy - Cylinders

M100



## MORTISE CYLINDERS

Available in 1", 1-1/8" and 1-1/4" lengths and 3 finishes. Solid brass construction with the most popular finishes and keyways. Manufactured in the USA to precise specifications.

1" Mortise Cylinders		1-1/8" Mortise Cylinders		1-1/8" Mortise Cylinders	
M1002AW26D	Arrow 1179	M1181LSA26D	LSA**	M1181SCK26D	Schlage C-K
M1002AW3	Arrow 1179	M1182LSA13	LSA**	M1181SCK3	Schlage C-K
M1002AW13	Arrow 1179	M1181LSA3	LSA**	M1181SCK13	Schlage C-K
M1002C60 26D	Corbin 60	M1181LSA13	LSA**	M1181WE26D	Weiser/Falcon E
M1002CO26D	Composite Keyway*	M1182LSA26D	LSA**	M1181WE3	Weiser/Falcon E
M1002DL26D	Dominion	M1182LSA3	LSA**	M1181WE13	Weiser/Falcon E
M1002DX26D	Dexter 67	M1181AW26D	Arrow 1179	M1181YA26D	Yale 8
M1002KW26D	Kwikset	M1181AW3	Arrow 1179	M1181YA3	Yale 8
M1002KW3	Kwikset	M1181AW13	Arrow 1179	M1181YA13	Yale 8
M1002KW13	Kwikset	M1181C6026D	Corbin 60		
M1002LA26D	Sargent 275 LA	M1181C7726D	Corbin 77	<b>1-1/4" Mortise Cylinders</b>	
M1002RD1 26D	Russwin D1	M1181DL26D	Dominion	M1141KW26D	Kwikset
M1002RD1 3	Russwin D1	M1181DX26D	Dexter 67	M1141KW3	Kwikset
M1002RD1 13	Russwin D1	M1181KW26D	Kwikset	M1141KW13	Kwikset
M1002SCC26D	Schlage C	M1181KW3	Kwikset	M1141LSA26D	LSA**
M1002SCC3	Schlage C	M1181KW13	Kwikset	M1141LSA3	LSA**
M1002SCC13	Schlage C	M1181LA26D	Sargent 275 LA	M1141LSA13	LSA**
M1002SCE26D	Schlage E	M1181LA3	Sargent 275 LA	M1141SCC26D	Schlage C
M1002SCK26D	Schlage C-K	M1181LA13	Sargent 275 LA	M1141SCC3	Schlage C
M1002SCK3	Schlage C-K	M1181R981 26D	Russwin 981 R	M1141SCC13	Schlage C
M1002SCK13	Schlage C-K	M1181RD1 26D	Russwin D1	M1141SCK26D	Schlage C-K
M1002WE26D	Weiser/Falcon E	M1181RD1 3	Russwin D1	M1141SCK3	Schlage C-K
M1002WE3	Weiser/Falcon E	M1181RD1 13	Russwin D1	M1141SCK13	Schlage C-K
M1002WE13	Weiser/Falcon E	M1181SCC26D	Schlage C	M1141YA26D	Yale 8
M1002YA26D	Yale 8	M1181SCC3	Schlage C	M1141YA3	Yale 8
M1002YA3	Yale 8	M1181SCC13	Schlage C	M1141YA13	Yale 8
M1002YA13	Yale 8	M1181SCE26D	Schlage E		

1" mortise cylinders are supplied with removable "AR" cam.

1-1/8" mortise cylinders are supplied with removable "standard" AND "AR" cams.

1-1/4" mortise cylinders are supplied with removable "standard" cam.

**\*\*Our composite keyway accepts the following manufacturer's keys:** Arrow K2 & K3, Dexter 67, Falcon 1573G, Ilco X1054K, Kwikset 1063, National EZ 9407, National Rockford 411-31, Sargent 265U & 265S, Segal 9, Weiser 1559, Welch 5K and Weslock 12344.

### Finishes

3	Polished Brass
13	Duranodic
26D	Dull Chrome

### \*LSA - The next best thing to a Patented keyway at a fraction of the cost

This keyway offers a higher level of key control and security than is available with the more common keyways.



**Mortise Thumbturn Cylinders**

T1002 26D	1"
T1002 3	1"
T1002 13	1"
T1181 26D	1-1/8"
T1181 3	1-1/8"
T1181 13	1-1/8"
T1141 26D	1-1/4"
T1141 3	1-1/4"
T1141 13	1-1/4"



**Mortise Dummy Cylinders**

D100 26D	1"
D100 3	1"
D100 13	1"
D118 26D	1-1/8"
D118 3	1-1/8"
D118 13	1-1/8"
D114 26D	1-1/4"
D114 3	1-1/4"
D114 13	1-1/4"



# Rim • Key-in-Knob & Lever • Deadbolt - Cylinders

## RIM CYLINDERS

Drilled 6, pinned 5. Solid brass construction in 3 finishes with the most popular finishes and keyways. Manufactured in the USA to precise specifications.



R200

R200AW26D	Arrow 1179	R200KW13	1176 Kwikset	R200SCC13	Schlage C
R200AW3	Arrow 1179	R200LA26D	Sargent 275 LA	R200SCE26D	Schlage E
R200AW13	Arrow 1179	R200LA3	Sargent 275 LA	R200SCK26D	Schlage C-K
R200C60 26D	Corbin 60	R200LA13	Sargent 275 LA	R200SCK3	Schlage C-K
R200C60 3	Corbin 60	R200LSA26D	LSA*	R200SCK13	Schlage C-K
R200C60 13	Corbin 60	R200LSA3	LSA*	R200WE26D	Weiser/Falcon E
R200C77 26D	Corbin 77	R200LSA13	LSA*	R200WE3	Weiser/Falcon E
R200CO26D	Composite	R200R981 26D	Russwin 981R	R200WE13	Weiser/Falcon E
R200CO3	Composite	R200RD1 26D	Russwin D1	R200YA26D	Yale 8
R200DL26D	Dominion	R200RD1 3	Russwin D1	R200YA3	Yale 8
R200DX26D	Dexter 67	R200RD1 13	Russwin D1	R200YA13	Yale 8
R200KW26D	1176 Kwikset	R200SCC26D	Schlage C		
R200KW3	1176 Kwikset	R200SCC3	Schlage C		

## UNIVERSAL COMBINATION CYLINDERS

for Key-In-Knob, Key-In-Lever & Deadbolts

“Screwcap” universal combination cylinder fits most popular lever set, knob sets and deadbolts including Schlage® and \*Arrow®. Manufactured in the USA to precise specifications.



C500

\*For Arrow® models TA, BD and DD use LS-K300 cylinders.

C500AW26D	Arrow 1179	C500LA26D	Sargent 275 LA	C500SCC3	Schlage C
C500AW3	Arrow 1179	C500LA3	Sargent 275 LA	C500SCE26D	Schlage E
C500C60 26D	Corbin 60	C500LSA26D	LSA*	C500SCK26D	Schlage C-K
C500C60 3	Corbin 60	C500LSA3	LSA*	C500SCK3	Schlage C-K
C500CO26D	Composite	C500R981 26D	Russwin 981R	C500WE26D	Weiser/Falcon E
C500CO3	Composite	C500RD1 26D	Russwin D1	C500WE3	Weiser/Falcon E
C500DL26D	Dominion	C500RD1 3	Russwin D1	C500YA26D	Yale 8
C500DX26D	Dexter 67	C500SCC26D	Schlage C	C500YA3	Yale 8
C500KW26D	1176 Kwikset	C500SCC26D OB	Schlage C		
C500KW3	1176 Kwikset		(*0'-Bitted)		

## KEY-IN-KNOB & KEY-IN-LEVER CYLINDERS

Universal knob cylinder which fits most popular lever sets and knob sets including Schlage® and all Arrow®. Manufactured in the USA to precise specifications.



K300

K300AW26D	Arrow 1179	K300LSA26D	LSA*	K300SCE3	Schlage E
K300C60 26D	Corbin 60	K300LSA3	LSA*	K300SCK26D	Schlage C-K
K300CO26D	Composite	K300R981 26D	Russwin 981R	K300SCK3	Schlage C-K
K300DX26D	Dexter 67	K300RD1 26D	Russwin D1	K300WE26D	Weiser/Falcon E
K300KW26D	1176 Kwikset	K300RD1 3	Russwin D1	K300WE3	Weiser/Falcon E
K300KW3	1176 Kwikset	K300SCC26D	Schlage C	K300YA26D	Yale 8
K300LA26D	Sargent 275 LA	K300SCC3	Schlage C	K300YA3	Yale 8
K300LO26D	Lockwood 1004	K300SCE26D	Schlage E		

**\*LSA - The next best thing to a Patented keyway at a fraction of the cost**

This keyway offers a higher level of key control and security than is available with the more common keyways.

### Finishes

3	Polished Brass
13	Duranodic
26D	Dull Chrome



# Neuter Bow & Look-A-Like - Key Blanks



## Neuter Bow Key Blanks

- Made of solid brass for long life.
- Each blank is finished with tarnish resistant lacquer.
- Embossed finish.
- Meets original manufacturers tolerances.
- One side plain for easy stamping.
- Not identifiable to the untrained eye.
- Made in the U.S.A.

Mfgs.#	Description	Material	Number	Taylor #	Ilco#	Curtis #
D1054K NB	Dexter	BR	67	54DR	D1054K	DE6
1176NB	Kwikset	BR	1063B	54KS	1176	KW1
A1011D1	Russwin	BR	6D1	A57-10	A1011-D1	RU46
01007LA NB	Sargent	BR	6275LA	043LA	01007LA	S22
1145NB	Schlage	BR	35-100C	145	1145	SCI
1145A NB	Schlage	BR	35-101C	145A	1145A	SC4
A1145E NB	Schlage	BR	35-101E	USE	A1145E	SC9
1054WB NB	Weiser	BR	1555	54 WB	1054 WB	WR3
999NB	Yale	BR	8	14	999	YI

## Look-A-Like Key Blanks

- Made of the same material and to the same specifications as the originals.
- Made in the U.S.A.



### Automotive Keyblanks

Mfgs.#	Description	Material	Number	Taylor #	Ilco#	Curtis #
70AM	Amer. Motors	NP	320560	99A	1970AM	RA4
Y157CHY	Chrysler	NP			P1794	Y157
83FD	Ford Prim.	NP	1167FD	P27	1167FD	H51
S83FD	Ford Second.	NP	S1167FD	S27	S1167FD	H50
84FD	Ford 10 Pin	NP	1184FD	P27 1/2	1184FD	H54
H54F	Ford 10 Pin	NP	1184FD	P27 1/2	1184FD	H54
H67F	Ford 10 Pin	NP	1193FD		1193FD	H67
H75F	Ford	NP	1196FD		1196FD	H75
B86GP	GM	NP	P1106		P1106	B86P
B89GP	GM	NP	P1107		P1107	B89P
P98EOE	GM	NP	320404	X98E	P1098E	B44
S98HOE	GM	NP	320405	098H	S1098H	B45
P98AOE	GM	NP	320588	P91A	P1098A	B48
S98BOE	GM	NP	320589	S91B	S1098B	B49
P98COE	GM	NP	320652	P91C	P1098C	B50
S98DOE	GM	NP	320653	S91D	S1098D	B51

### Commercial Hardware Keyblanks

1A1A1	Best	NS	1A1A1	A114A	A1114A	BE2
1A1B1	Best	NS	1A1B1	A114B	A1114B	BE3
1A1C1	Best	NS	1A1C1	A114C	A1114C	BE6
1A1D1	Best	NS	1A1D1	A114D	A1114D	BE4
1A1E1	Best	NS	1A1E1	A114E	A1114E	BE5
1A1F1	Best	NS	1A1F1	A114F	A1114F	BE7
1A1G1	Best	NS	1A1G1	A114G	A1114G	BE9
1A1H1	Best	NS	1A1H1	A114H	A1114H	BE 10
1A1J1	Best	NS	1A1J1	A114J	A1114J	
1A1K1	Best	NS	1A1K1	A114K	A1114K	
1A1L1	Best	NS	1A1L1	A114L	A1114L	
1A1M1	Best	NS	1A1M1	A114M	AHUM	
LSDA20	LSDA	NS	LSA*			
5D1R	Russwin	NS	5D1R	5D1	1011D1	RU45
6D1R	Russwin	NS	6D1R	6D1	A1011D1	RU46
275LA	Sargent	NS	275LA	43LA	1007LA	S22/1/2
6275LA	Sargent	NS	6275LA	043LA	01007LA	S22
100C NS	Schlage	NS	35-100C	145	1145	SCI
100E NS	Schlage	NS	35-100E	USES	1145E	SC8
101C NS	Schlage	NS	35-101C	145A	1145A	SC4
101E NS	Schlage	NS	35-101E	USE	A1USE	SC9
101F NS	Schlage	NS	35-101F	145F	A1145F	SC10
8	Yale	BR	8	14	999	YI

BR=Brass • NP=Nickel Plated Brass • NS=Nickel Silver



# Brass - Key Blanks

## Brass Key Blanks

- Made of solid brass for long life.
- Each blank is finished with tarnish resistant lacquer.
- Both Ilco and Curtis numbers appear on blank
- Meets original manufacturers tolerances.
- One side plain for easy stamping.
- Made in the U.S.A.
- Packed 50 per box.



Mfgs.#	Description	Orig #	Taylor #	Ilco #	Mfgs.#	Description	Orig #	Taylor #	Ilco #
AM3	American Lock	PTKB1	J41	1046	B89	GM			P1107
AP1	Chicago	K101	F41A	101AM	IN3	Ilco	1054K	54K	1054K
AP2	Chicago	K102	F41B	102AM	IN8	Ilco	L1054B	L54B	L1054B
AP3	Chicago	K103	F41C	103AM	IN33	Ilco	1054MT	54MT	1054MT
AP4	Chicago	K104	F41E	104AM	KW1	Kwikset	1063B	54KS	1176
RA3	Amer. Motors	320561	99B	S1970AM	KW10	Kwikset	A1176ST		A1176ST
RA4	Amer. Motors	320560	99A	1970AM	L1	Lockwood	B308	35	1004
AR1	Arrow	K2	135	1179	9	LSDA	9	54KS	1176
AR4	Arrow	K7	135A	1179A	M1	Master	IK	92	1092
BO1	Bommer	670-12	22B	R1003M	M2	Master	7K	92B	1092B
CG1	Chicago	K4	41G	1041G	M10	Master	15K	92N	1092N
CG16	Chicago	K5	41R	1041T	NA6	National	4295	R147D	R1064D
1137B	Chicago	99534		1137B	NA12	National	4293	174BA	1069LA
Y152	Chrysler	320514	P19A	P177OU	NA14	National	4291	174B	1069L
Y157	Chrysler			P1794	RO3	National	D8785	174JA	1069N
C087	Corbin	ZI-60-5	22Z2	1001EH	RU4	Russwin	5981R	55P	1011P
C088	Corbin	ZI-60-6	A22Z2	A1001EH	RU45	Russwin	5D1	57-1D	1011-D1
C0106	Corbin	8618CR14	R22B	1003M	RU46	Russwin	6D1	A57-10	A1011-D1
A1011L4	Corbin Russwin	L4-6PIN-10		A1011L4	SC1	Schlage	35-100C	145	1145
DE6	Dexter	67	54DR	D1054K	SC4	Schlage	35-101C	145A	1145A
FA3	Falcon	KB1577G	F54GA	A1054WD	SC8	Schlage	35-100E	145ES	1145E
H51	Ford Prim.	1167D	P27	1167FD	SC9	Schlage	35-101E	USE	A1145E
H50	Ford Second.	S1167FD	S27	S1167FD	SE1	Segal	K9	102	1022
H54	Ford Prim.	1184FD		1184FD	WK2	Weslock	12344	175W	1175N
H60	Ford Prim.	1190LN		1190LN	WR3	Weiser	1555	54 WB	1054 WB
H67	Ford Prim.	1193FD		1193FD	WR5	Weiser	1555	54WC	N1054WB
H75	Ford Prim.	1196FD		1196FD	Y1	Yale	8	14	999
B1	GM	75101	98M	1098M	Y1E	Yale	EN8E1R	E14	999N
B44	GM	320404	X98E	P1098E	Y2	Yale	EN11	14A	999A
B45	GM	320405	098H	S1098H	Y4	Yale	111GMK	12GM	998
B46	GM	320470	X98J	P1098J	Y6	Yale	X10 1/2E3R	7X	99X
B47	GM	320471	098K	S1098K	Y11	Yale	9114	7NX	1122
B48	GM	320588	P91A	P1098A	Y12	Yale	9278	07NX	01122A
B49	GM	320589	S91B	S1098B	Y13	Yale	9290	R7NX	01122R
B50	GM	320652	P91C	P1098C	Y14	Yale	9279	HR07NX	01122AR
B51	GM	320653	S91D	S1098D					
B86	GM			P1106					

Designed to  
Comply with  
Locksmith  
Security  
Specifications



# Cam Locks



## Disc Tumbler Cam Locks

- 3/4" diameter
- Polished nickel finish is available on all length and polished brass finish on select lengths
- Disc tumbler
- 90° and 180° cam turn
- Key removable in both locked and unlocked position.
- Available as keyed-alike or keyed different
- Made in the U.S.A.

Each cam lock includes:  
 Finish washer  
 Spur washer  
 3/4" nut  
 90° & 180° stop washer  
 Straight and offset cam

Mfg. No.	Cylinder Length	Maximum Panel Thickness	Finish
CL38	3/8"	3/16"	Polished Nickel
CL58	5/8"	5/16"	Polished Nickel
CL78	7/8"	9/16"	Polished Nickel
CL78B	7/8"	9/16"	Polished Brass
CL118	1-1/8"	13/16"	Polished Nickel
CL118B	1-1/8"	13/16"	Polished Brass
CL138	1-3/8"	1-1/16"	Polished Nickel
CL134	1-3/4"	1-7/16"	Polished Nickel



## Universal Tubular Cam Locks

- Universal function provides 6 different possible key functions.
- 3/4" diameter
- Brass, chrome plated, cylinder spindle. Polished nickel finish
- 7 pin tumbler
- Key rotation at 90° or 180° - right or left. Removable at your choice of 3, 6, 9 or 12 o'clock positions.
- Available as keyed-alike or keyed different
- Made in the U.S.A.

Each cam lock includes:  
 Finish washer  
 Spur washer  
 3/4" nut  
 90° & 180° stop washer  
 Straight and offset cam

Mfg. No.	Cylinder Length	Maximum Panel Thickness	Finish
UTCL38	3/8"	1/4"	Polished Nickel
UTCL58	5/8"	1/2"	Polished Nickel
UTCL78	7/8"	3/4"	Polished Nickel
UTCL118	1-1/8"	1"	Polished Nickel
UTCL112	1-1/2"	1-1/8"	Polished Nickel



# Utility Locks

## Desk Drawer Locks

- New rekeyable universal keyway compatible with: All Lock, CCL, Chicago, ESP, Fort, Hudson, Hurd, Ilco, Lori and National.
- Multi-function - deadbolt or springlatch.
- 90° key rotation (key retained or key removable)
- Available as keyed alike or keyed different • Made in the U.S.A.



Mfg.No.	Size	Finish
DL78 3	7/8"	Polished Brass
DL78 26D	7/8"	Satin Chrome
DL118 3	1-1/8"	Polished Brass
DL118 26D	1-1/8"	Satin Chrome



## Metal Drawer Locks

- New rekeyable universal keyway compatible with: All Lock, CCL, Chicago, ESP, Fort, Hudson, Hurd, Ilco, Lori and National.
- Multi-function with 2 bolt lengths packed with each lock
- 90° key rotation (key retained or key removable)
- Available as keyed alike or keyed different • Made in the U.S.A.

Mfg.No.	Size	Finish
MDL34	3/4"	Satin Chrome

## Sliding Door Locks

- New rekeyable universal keyway compatible with: All Lock, CCL, Chicago, ESP, Fort, Hudson, Hurd, Ilco, Lori and National.
- Available as keyed alike or keyed different • Made in the U.S.A.



Mfg.No.	Size	Finish
SD78	7/8" diameter	Satin Chrome



SC90  
Double Bitted Key



SC23  
"Universal"  
Single Bitted Key

## Showcase Locks

- Model SC23 has new rekeyable universal keyway compatible with: All Lock, CCL, Chicago, ESP, Fort, Hudson, Hurd, Ilco, Lori and National.
- Model SC90 has double bitted key.
- Both models have anti-pry housing
- 2-one way bars for either glass or wood are included with each lock
- Available as keyed alike or keyed different • Made in the U.S.A.



# Fire Resistant Home Safes



## Fire Resistant Home Safes

- All safes have a dark gray hammertone finish body with a light gray hammertone door.
- For easy identification each safe's model number is clearly marked on the front of the door as well as on the outside of the carton.
- All LSDA fire resistant home safes carry a JIS rating.

Mfg. No.	Outside Dimensions			Inside Dimensions			Rating	Weight	Interior	Lock
	H	W	D	H	W	D				
HS913	13-1/2"	17"	14"	9-1/4"	13-1/4"	9-7/8"	1 hour	86	removable tray	hand changeable
EHS913	13-1/2"	17"	14"	9-1/4"	13-1/4"	9-7/8"	1 hour	86	removable tray	electronic lock
HS139	17-3/8"	13"	14-5/8"	13-1/8"	9-1/4"	10-3/4"	1 hour	88	removable tray	hand changeable
HS814	14-3/4"	19-1/8"	15-1/2"	14-1/4"	8-3/4"	11-5/8"	1 hour	106	removable tray	hand changeable
HS148	19-5/8"	13-1/2"	15-1/2"	14-1/4"	8-3/4"	11-5/8"	1 hour	106	removable tray	hand changeable
HS1512	20"	16-3/4"	17-7/8"	15"	12-3/8"	14"	1 hour	128	removable tray with 1 shelf	hand changeable
HS1812	26-3/8"	18-3/4"	19-3/8"	18-1/8"	12-3/4"	13-3/8"	2 hour	243	removable tray with 2 shelves	key changeable
EHS1812	26-3/8"	18-3/4"	19-3/8"	18-1/8"	12-3/4"	13-3/8"	2 hour	243	removable tray with 2 shelves	electronic lock
HS1812D	28"	19-1/2"	27-1/4"	20-1/2"	13-1/4"	18-1/2"	2 hour	310	removable tray with 2 shelves	key changeable



## Fire Resistant Home Record Safes

- Safes are ivory finish
- Passed 350° - 1 hour UL Fire rating for record protection.
- Perfect size for documents or laptop computers
- Great item for dorms, personal offices or apartment dwellers
- Safes have electronic locking mechanism with "flip top" cover
- Equipped with a capped bolt-down hole.
- Each safe includes a slide tray compartment.

Mfg. No.	Outside Dimensions			Inside Dimensions			Weight
	H	W	D	H	W	D	
EH613	9-3/4"	17-1/2"	13-3/4"	5-5/8"	13"	8-3/4"	64
EH1015	14-1/8"	20"	16-1/2"	9-7/8"	15-3/8"	11-1/2"	104
EH1510	19-1/2"	14-1/2"	16-1/2"	15-1/2"	9-7/8"	11-1/2"	104



# Fire Resistant Office Safes - Depository Safes

## Office/Record Safes

- All safes have a dark gray hammertone finish body with a light gray hammertone door.
- For easy identification each safe's model number is clearly marked on the front of the door as well as on the outside of the carton.
- All LSDA fire resistant office/record safes carry a JIS rating
- Each safe is provided with a 5-1/8" lockable drawer



Mfg. No.	Outside Dimensions			Inside Dimensions			Rating	Weight	Interior	Lock
	H	W	D	H	W	D				
RS2416	33-1/4"	22-7/8"	20-1/2"	24"	16-1/2"	13-3/4"	2 hour	467	lockable drawer & 2 adjustable shelves	key changeable
RS3822	47-3/4"	27-3/8"	23-7/8"	38-1/4"	22"	17-1/2"	2 hour	644	lockable drawer & 3 adjustable shelves	S&G key change lock
RS4524	55-1/8"	29-1/2"	27-1/8"	46-1/4"	23-3/4"	18-1/2"	2 hour	816	lockable drawer & 3 adjustable shelves	S&G key change lock

## Depository Safes

This series of safes is ideally designed to provide immediate deposits of cash for under the counter applications as well as quick deposits of cash for trucks, route drivers, etc.

Even though the door of the safe is locked, deposits may be made into the safe via a slot over the door, providing instant protection.



DS1



DS2

Mfg. No.	Outside Dimensions			Inside Dimensions			Weight	Lock
	H	W	D	H	W	D		
DS1	12	6-1/8"	8-1/16"	11-3/4"	5-5/8"	7-5/8"	33	dual control key lock
DS2	8-1/16"	6-1/8"	12"	7-3/4"	5-5/8"	11-1/2"	33	dual control key lock



# Product Warranties



All LSDA Locksets, Leversets, Padlocks, Door Closers, Exit Devices and Safes are warranted to be free from defects in workmanship and materials under normal use and service. LSDA shall at its option replace or repair these products, provided:

- 1) Proof of purchase is provided to establish warranty period.
- 2) Keyed products are returned with one original key.

This warranty does not cover defects or damage arising from improper installation, lack of or improper maintenance, improper storage, shipping or handling, ordinary wear and tear, misuse, abuse, accident, unauthorized service, or use with non-compatible products or parts, nor against the consequences of uses for which our products were not designed.

NOTE: THE FOREGOING WARRANTY IS EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES OF QUALITY, WHETHER WRITTEN, ORAL OR IMPLIED (INCLUDING ANY WARRANTY OF THE MERCHANTABILITY OR FOR CONSEQUENTIAL DAMAGES). LSDA IS RESPONSIBLE ONLY FOR THE REPAIR OR THE REPLACEMENT OF THE ITEM, AND NOT FOR ANY CONSEQUENTIAL OR INCIDENTAL DAMAGE, EXPENSE, OR LOSS INCURRED BY PURCHASER RESULTING FROM THE USE OF THE PRODUCT. FULL WARRANTY STATEMENTS AVAILABLE UPON REQUEST.

<b><u>Product</u></b>	<b><u>Warranty Period</u></b>
<b>Grade 1:</b> Knob locks, leversets	15 year mechanical 1 year finish
<b>Grade 2:</b> Knob locks, leversets, deadbolts	15 year mechanical 1 year finish
<b>Grade 3:</b> Knob locks, leversets, deadbolts and entrance handlesets	15 year mechanical Finishes: 1 year on standard finish, Lifetime on Millennium Brass™
<b>Door Closers:</b>	
Grade 1	15 year mechanical
Grade 2	10 year mechanical
All others	5 year mechanical
<b>Exit Devices:</b>	
920 Series	10 year mechanical
911 Series	3 year mechanical
<b>Padlocks</b>	2 year mechanical
<b>Safes</b>	1 year mechanical

# Mounts & Finishes



## Mounts

### Grade 1 Leverset Lock Mount



Stained wood mount for Grade 1 "LF" and "LX" Series Lever Sets. 2-3/4" backset with pre-drilled thru-bolt holes  
**Part # LLM1**



### Grade 3 Lock Mounts


Painted wood mounts for grade 3 locks and deadbolts. Two hole mount can also be used to mount handle-sets. All mounts are prepped with 2-1/8" bore and 2-3/8" backset.

- LM1 ..... 1 Hole Mount
- LM2 ..... 2 Hole Mount
- LM3 ..... 3 Hole Mount

## Plated Finishes



**US3**  
Polished Brass



**MB3**  
Millennium Brass  
(lifetime finish)



**US5**  
Antique Brass



**US10B**  
Oil Rubbed Bronze



**US15**  
Satin Nickel



**US15A**  
Antique Nickel



**US26**  
Polished Chrome



**US26D**  
Satin Chrome



**US32D**  
Satin Stainless Steel

## Painted Finishes



**AL**  
Painted Aluminum Finish



**DUR**  
Painted Duranodic Finish



# Index

Cam Locks-Disc Tumbler . . . . .	.26	Mounts . . . . .	.31
Cam Locks-Tubular . . . . .	.26	Metal Drawer Locks . . . . .	.27
Cylinders-Key in Knob . . . . .	.23	Padlocks-Brass Pin Tumbler . . . . .	.18
Cylinders-Key in Lever . . . . .	.23	Padlocks-Brass Rekeyable . . . . .	.19
Cylinders-Mortise Dummy . . . . .	.22	Padlocks-Dial Combination . . . . .	.21
Cylinders-Mortise Keyed . . . . .	.22	Padlocks-Laminated . . . . .	.18
Cylinders-Mortise Thumbturn . . . . .	.22	Padlocks-Resettable Combination . . . . .	.21
Cylinders-Rim . . . . .	.23	Padlocks-Shackleless . . . . .	.21
Deadbolts-Grade 2 . . . . .	.8	Padlocks-Shielded Disc . . . . .	.21
Deadbolts-Grade 3 . . . . .	.12	Padlocks-Solid Body . . . . .	.20
Desk Drawer Locks . . . . .	.27	Safes-Depository . . . . .	.29
Door Closers-Economy Grade . . . . .	.17	Safes-Fire Resistant Home . . . . .	.28
Door Closers-Grade 1 . . . . .	.15	Safes-Fire Resistant Office . . . . .	.29
Door Closers-Grade 2 . . . . .	.16	Safes-Fire Resistant Record . . . . .	.28
Exit Devices and Trim . . . . .	.13-14	Showcase Locks . . . . .	.27
Finishes . . . . .	.31	Sliding Door Locks . . . . .	.27
Handlesets-Grade 3 . . . . .	.11	Warranties . . . . .	.30
Key Blanks-Brass . . . . .	.25		
Key Blanks-Look Alike . . . . .	.24		
Key Blanks-Neuter Bow . . . . .	.24		
Knobsets-Grade 1 . . . . .	.4		
Knobsets-Grade 2 . . . . .	.7		
Knobsets-Grade 3 . . . . .	.9		
Leverets-Grade 1 . . . . .	.2-3		
Leverets-Grade 2 . . . . .	.5-6		
Leverets-Grade 3 . . . . .	.10		

# *Why LSDA.....?*

**Quality built construction.**

**Rated high in Price Performance Value.**

**Product range of Good, Better & Best Products.**

